

Beauty. Strength. Durability.







DYNAMIC SOLUTIONS INNOVATION

Whether you want to make your home impressive, comfortable, traditional, or distinctive - PolyRail® Vinyl Railing is designed with you in mind. PolyRail® Vinyl Railing offers a comfortable feel with a traditional look and features a wide range of styles, colors, and applications to enhance your vision. Just imagine the possibilities; after all, your home is your masterpiece.



Table Of Contents

Colors & Powder Coating Process
Cardinal Vinyl Railing 2-3
Falcon Vinyl Railing 4-5
Raven Vinyl Railing 6-7
T-Bird Vinyl Railing 8-9
Hidden Screw Rail Mounts 10
Gates & Hardware1
Post Mounts 12
Standard Vinyl Posts 13
"A" Series Decorative Vinyl Posts 14
Column Clad Vinyl Post Wraps 15
"B" Series Aluminum Posts 16
ADA Continuous Handrail

COLORS & POWDER COATING PROCESS

Vinyl Colors

DSI Vinyl Products are available in multiple colors. Our Mocha color is unique to **select** models. Please see individual model pages for color availability.



Aluminum Colors

DSI Aluminum Products are available in 12 standard AAMA 2604 colors to compliment your project; from satin color to textured colors. Custom colors and AAMA 2605 colors are available by special order.

Colors shown are a close approximation of the true color. Please request actual samples for accurate colors.

Textured Colors











Black Fine Texture

Bronze Fine Texture

Brown Fine Texture

White Fine Texture

Grey Fine Texture

Non Textured Colors















Exclusive DSI Powder Coating Process

DSI's proprietary 10 step powder coating process provides an uncompromising quality created by state-of-the-art technology. Our system is certified by the Powder Coating Institute providing peace of mind in your investment. Our powder coating is verified by the American Architectural Manufacturers Association and is covered by a Lifetime Limited Warranty.



The raw premiumgrade aluminum is inspected to be free of blemishes and is not exposed to the outdoor elements.



process.



The product enters a heated cleaning stage to remove extrusion debris and fabrication oils.



Powder is applied with 18 automated and 2 manual spray guns. Compressed process air is dried to -35°F Dew Point for superior adhesion.



Cleane: City water rinse **Cleaner:** Recycling reverse osmosis water rinse

Cleanest: Pure reverse osmosis water rinse **Sealer:** Dried-in-place aluminum sealer



The powder coating is then bonded and adhered to the aluminum substrate in a 400 degree cure stage.





CARD VINYL RAILING



Cardinal Vinyl Railing



Standard Baluster 7/8" x 1-1/2" Rectangular Vinyl 2-7/8" Baluster Spacing







"A" Series Baluster
7/8" x 1-1/2" Decorative Vinyl
2-7/8" Baluster Spacing
42" Balusters are Aluminum Reinforced







"B" Series Baluster 3/4" Round Aluminum 3-7/8" Baluster Spacing See Page 1 for Baluster Colors





Ocalies Tons					Ler	igth					Height		Baluster Style		yle
Section Type	4'	5′	6′	7'	8'	9'	10'	12'	14'	16′	36"	42"	Std	Α	В
Straight	•	•	•	•	•	•	•				•	•	•	•	•
Stair	•	•	•	•	•	•	•				•	•	•	•	•
Crossover - Straight							•	•	•	•	•	•	•	•	•
Crossover - Stair					Not Av	ailable					Not A	Not Available Not Available		ole	
Single Chippendale - Straight	•	•	•	•	•	•	•				•	•	•		
Double Chippendale - Straight				•	•	•	•				•	•	•		
Chippendale - Stair					Not Av	ailable					Not A	/ailable	No	t Availal	ole



Crossover

Double Chippendale

Note: Railing Support included with all 8' - 10' sections. 16' Crossover Sections include two Railing Supports.





Falcon Vinyl Railing



Standard Baluster 1-3/8" x 1-3/8" Square Vinyl 3-1/2" Baluster Spacing









"A" Series Baluster
1-3/8" x 1-3/8" Decorative Vinyl
3-1/2" Baluster Spacing
42" Balusters are Aluminum Reinforced








"B" Series Baluster 3/4" Round Aluminum 3-7/8" Baluster Spacing See Page 1 for Baluster Colors

White

Tan



Ocalian Toma		Length								He	Height		Baluster Style		
Section Type	4'	5′	6'	7'	8′	9′	10'	12'	14'	16′	36"	42"	Std	Α	В
Straight	•	•	•	•	•	•	•				•	•	•	•	•
Stair	•	•	•	•	•	•	•				•	•	•	•	•
Crossover - Straight							•	•	•	•	•	•	•	•	•
Crossover - Stair					Not Av	ailable					Not A	/ailable	No	t Availal	ble
Single Chippendale - Straight	•	•	•	•	•	•	•				•	•	•		
Double Chippendale - Straight				•	•	•	•				•	•	•		
Chippendale - Stair					Not Av	ailable					Not A	/ailable	No	t Availal	ble



Crossover



Single Chippendale

Note: Railing Support included with all 8' - 10' sections. 16' Crossover Sections include two Railing Supports.





Raven Vinyl Railing



Standard Baluster 7/8" x 1-1/2" Rectangular Vinyl 2-7/8" Baluster Spacing







"A" Series Baluster
7/8" x 1-1/2" Decorative Vinyl
2-7/8" Baluster Spacing
42" Balusters are Aluminum Reinforced







"B" Series Baluster 3/4" Round Aluminum 3-7/8" Baluster Spacing See Page 1 for Baluster Colors



Tan

Cookies Turns		Length									Hei	Height		Baluster Style	
Section Type	4'	5′	6'	7'	8′	9'	10'	12'	14'	16′	36"	42"	Std	Α	В
Straight	•	•	•	•	•	•	•				•	•	•	•	•
Stair	•	•	•	•	•	•	•				•	•	•	•	•
Crossover - Straight							•	•	•	•	•	•	•	•	•
Crossover - Stair		Not Available							Not Available		Not Available				




Crossover

Note: Railing Support included with all 7' - 10' sections. 14' and 16' Crossover Sections include two Railing Supports.



VINYL RAILING



T-Bird Vinyl Railing



Standard Baluster 1-3/8" x 1-3/8" Square Vinyl 3-1/2" Baluster Spacing







"A" Series Baluster
1-3/8" x 1-3/8" Decorative Vinyl
3-1/2" Baluster Spacing
42" Balusters are Aluminum Reinforced








"B" Series Baluster 3/4" Round Aluminum 3-7/8" Baluster Spacing See Page 1 for Baluster Colors





Ocation Tons					Ler	ngth					Height		Baluster Style		tyle
Section Type	4'	5′	6'	7'	8′	9'	10'	12'	14'	16′	36"	42"	Std	Α	В
Straight	•	•	•	•	•	•	•				•	•	•	•	•
Stair	•	•	•	•	•	•	•				•	•	•	•	•
Crossover - Straight							•	•	•	•	•	•	•	•	•
Crossover - Stair					Not Av	/ailable					Not A	ailable	No	t Availal	ble
Single Chippendale - Straight	•	•	•	•	•	•	•				•	•	•		
Double Chippendale - Straight				•	•	•	•				•	•	•		
Chippendale - Stair					Not A	/ailable					Not A	ailable	No	t Availal	ble



Crossover



Double Chippendale

Note: Railing Support included with all 8' - 10' sections. 16' Crossover Sections include two Railing Supports.

HIDDEN SCREW RAIL MOUNTS

Standard Wall Mounts:

1-4 pack is included inside each boxed railing section.

A 4 pack contains
(2) top mounts,
(2) bottom mounts,

Cardinal



Top/Bottom Rail Mount

Falcon



Top Rail Mount



Bottom Rail Mount

Raven



Top Rail Mount



Bottom Rail Mount

T-Bird



Top Rail Mount



Bottom Rail Mount

Standard Stair Mounts:

and screws.

1-4 pack is included inside each boxed stair railing section.

A 4 pack contains (2) top mounts, (2) bottom mounts, and screws.

For Stair Racking information visit *polyrail.com*



Top/Bottom Stair Mount



Top Stair Mount



Bottom Stair Mount



Top Stair Mount (factory pre-cut)



Bottom Stair/ Angle Mount



Top Stair Mount



Bottom Stair Mount

Optional Specialty Mounts:

These mounts are not included with boxed sections.

A 4 pack contains (2) top mounts, (2) bottom mounts, and screws.



Top/Bottom Angle Mount



Top/Bottom Angle Mount



Top Stair/ Angle Mount (uncut)



Bottom Stair/ Angle Mount



Top 45° Mount (factory pre-cut)



Bottom 45° Mount (factory pre-cut)



Top/Bottom Angle Mount



Top 45° Mount (factory pre-cut)



Bottom 45° Mount (factory pre-cut)





Not Available in 6"

6" and 8" Round Fluted Column Adapters



Not Available in 10"

Rail Supports



Aluminum

GATES & HARDWARE

Cardinal Gate



Falcon Gate



Raven Gate





T-Bird Gate



Matching gates available for each style of railing • Aluminum Reinforced Frame Available in 36"W and 48"W openings • Special Width Gates Available Upon Request

Polyotor Style	Gate Size (width x height)								
Baluster Style	36" x 36"	48" x 36"	36" x 42"	48" x 42"					
Standard Baluster	•	•	•	•					
"A" Series Baluster	•	•	•	•					
"B" Series Baluster	•	•	•	•					

Residential Hinge







Residential Latch



Our Mocha color is unique to **select** models. Please see individual model pages for color availability.

POST MOUNTS

4" Residential Adjustable Aluminum Post Mounts

Requires 4" (160" Wall) Post Sleeve.



Top Viev

Powder coated base plates resist corrosion and ACQ wood treatment.



Angle Adjustment Leveling Bolts



Top and Bottom Post Mounts



5" Top & Bottom Hurricane Mount Set (Included with all 5" Square Support Posts)



Optional 4" Top and Bottom Post Mount Plates



4" IBC and IRC Post Mounts

IBC (Heavy Duty) Post Mounts:

- IBC Approved
- 3.62" Tube
- .060" Wall
- ½" x 5½" square plate with 8 fasteners
- Shims and leveling bolts included







Post Mount
Available in
37", 43", 47"
& 53" lengths

37" IRC Post Mount Available in 37", 43", 47" & 53" lengths

Requires 4" (.135" Wall) Post Sleeve Note: 5" and 6" Post Mounts available. Contact Customer Service for information.

IRC (Standard) Post Mounts:

- IRC Approved
- 3.62" Tube
- .060" Wall
- 1/4" x 51/2" square plate with 4 fasteners
- Shims and leveling bolts included





STANDARD VINYL POSTS

Posts



Caps









Flat Cap 4", 5", 6"

Trim Cap 4", 5", 6"

Gothic Cap 4", 5"

Ball Cap 4", 5"

Magena Star®

Magena Star® Ornamental Low Voltage and Solar Lights. Visit magenastar.com for more information and to see additional styles and options.









Ornamental Low Voltage 4"

Ornamental Low Voltage 5"

Ornamental Solar 4"

Ornamental Solar 5"

Flairs





4" Flair (1-piece)

4" Flair (2-piece) Use with IBC/IRC Post Mount and Sleeve





Use with Residential Post Mount and Sleeve



5" Flair (1-piece)


6" Decorative Flair (1-piece)

Use with Square Support Posts or Sleeve

	4" Post Sleeve	5" Post Sleeve	5" Support Post	6" Post Sleeve
Heights	38", 44", 48", 54" 8', 9', 10'	38", 44", 48", 54" 8', 9', 10'	8', 9', 10'	38", 44", 48", 54" 10'
Load Capacity	Non-Load Bearing w/o Wood Post	Non-Load Bearing w/o Wood Post	8' = 12,000 lb.	Non-Load Bearing w/o Wood Post

"A" SERIES DECORATIVE VINYL POSTS

Posts



Cap



"A" Series Decorative Post Caps are Easily Attached with Vinyl Adhesive Cap is Included with Post

Flairs





4" Flair (1-piece)

4" Flair (2-piece)

Use with "A" Series IRC Post Mount



4" Snap Lock Flair (1-piece) Use with "A" Series IRC Post Mount



5" Decorative Flair
Use with "A" Series or
Victorian Support Posts

Support Post Mounts



4" Top & Bottom Post Mount Plates (Included with all 4" "A" Series Support Posts)



5" Top & Bottom Post Mount Plate Set (Included with all 5" Decorative Support Posts)



Optional 5" Top & Bottom Hurricane Mount Sets are Tested for High Wind Loads for 5" "A" Series Post

	4" "A" Series Post Sleeve	4" "A" Series Support Post	5" "A" Series Support Post	5" Victorian Support Post
Heights	38", 44", 48", 52"	9′	9′, 10′	9′
Load Capacity	Non-Load Bearing w/o Aluminum Post Mount	3,900 lb.	9′ = 7,520 lb.	9' = 7,520 lb.

COLUMN CLAD VINYL POST WRAPS

Style

The Wood Post Supplies Load Capacity







Flair



	4" Smooth Column Clad	6" Smooth Column Clad
Heights	8′, 10′	8′, 10′
Load Capacity	Non-Load Bearing w/o Wood Post	Non-Load Bearing w/o Wood Post

"B" SERIES ALUMINUM POSTS







Post Flair (2-piece) 4", 6"

Tie Down Bracket



Tie Down Bracket with Cover (Set of 2) Installation Instructions Require 2 Sets per Support Post

	4" "B" Series Post Sleeve	4" "B" Series Post w/Plate	6" "B" Series Post w/Plate	4" "B" Series Support Post	6" "B" Series Support Post
Heights	38", 44", 48", 54"	38", 44", 48", 54"	38", 44", 48", 54"	8', 9', 10'	8', 9', 10'
ASD Capacity* (Allowable Axial Loads)	Non-Load Bearing w/o Wood Post	Non-Load Bearing	Non-Load Bearing	8' = 13,531 lb. 9' = 12,751 lb. 10' = 11,970 lb.	8' = 16,543 lb. 9' = 16,543 lb. 10' = 16,543 lb.

^{*}Weight values are Actual Calculated Allowable Loads


ADA CONTINUOUS HANDRAIL

ADA Continuous Handrail is designed to assist individuals with accessibility and mobility concerns.

This system offers versatile components and accessories, providing the perfect safety solution for stairways, ramps, and decks.

ADA Continuous Handrail is easy to install on any surface and is compatible with new or existing railing systems.


Available in 12 DSI colors (shown on page 1).







Deck Application





Inside Corner Mount & 90° Elbow Detail



Extended Wall Mount Detail



90° Welded Elbow Detail

































diggerspecialties.com

Stay Connected













