

Entry Gates Aluminum U-Frame Gates



U-Frame Gate Features

- Strong Heavy-Duty U-Frame Construction.
- All Gates Welded No Screws.
- Elegant Streamlined Design.
- Meets ASTM Standards for Automatic Gate Openers.
- Eliminates Bracing for Single Gates 12' and Under.
- Heavy Wall Gate Posts.
- Single Gates up to 16' Wide.
- Double Gates up to 32' Wide.
- Verified AAMA 2604-05 Compliant Powder Coated Aluminum Gates Standard.
- Verified AAMA 2605-05 Compliant Powder Coating Upgrade Available.

Front Cover Photo Model 1131R with Designer Arch and Short Picket Option Evergreen with Gold Rings, Quad Finials and Flat Caps 20' Double Gate



Hundred Series

Aluminum Entry U-Frame Gates

	Single U-Frame Gate Width																
		(Gate is times 2 for Double Gate Application)															
			36"	42"	48"	60"	72"	84"	96"	108"	120"	allon) 132''	144"	156"	168"	180"	192"
	36"	Post Size	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	00	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"	2" x 2"	2" x 2"	2" x 2"						
		Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"				
		Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"				
		Picket Size	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"				
	42"	Post Size	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	72	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"	2" x 2"	2" x 2"	2" x 2"						
		Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"				
		Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"				
		Picket Size	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"				
	48"	Post Size	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	70	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"	2" x 2"	2" x 2"	2" x 2"						
		Btm U-Frame	1.5 x 1.5	1.5 x 1.5	1.5 x 1.5	1.5 x 1.5	1.5 x 1.5	2 x 2 1.5" x 3"	1.5" x 3"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"				
		Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"				
		Picket Size	5/8" x 5/8"	5/8" x 5/8"	-	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"				
	54"	Post Size	2"/2.5"*	2"/2.5"*	5/8" x 5/8" 2"/2.5"*	2"/2.5"*	2"/2.5"*	3/0 X 3/0 4"	3/0 X 3/0 4"	5/4 X 5/4 6"	5/4 X 5/4 6"	5/4 X 5/4 6"	5/4 X 5/4 6"				
	34	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"	2" x 2"	2" x 2"	2" x 2"						
ht		Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"				
Ō		Rail Size	1.5 x 5 1.125" x 1"	1.5 x 3 1.125" x 1"	1.125" x 1"	1.5 x 5 1.125" x 1"	1.5 x 5	1.5 x 5 1.125" x 1"	1.125" x 1"	1.5 x 5.5	1.5 x 5.5	1.5 x 5.5	1.5 x 5.5	1.5 x 5.5 1.5" x 1.5"	1.5 x 5.5	1.5 x 5.5	1.5" x 1.5"
þ		Picket Size	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"				
Gate Height	60"	Post Size	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	3/0 X 3/0	3/0 X 3/0 4"	5/4 X 5/4 6"	5/4 X 5/4 6"	5/4 X 5/4 6"	5/4 X 5/4 6"				
at	00	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"	2" x 2"	2" x 2"	2" x 2"						
9		Btm U-Frame	1.5 x 1.5	1.5 x 1.5	1.5 x 1.5	1.5 x 1.5	1.5 x 1.5		1.5" x 3"	1.5" x 5.5"		1.5" x 5.5"					
								1.5" x 3"							1.5" x 5.5"		1.5" x 5.5"
		Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"				
	72"	Picket Size	5/8" x 5/8" 2"/2.5"*	5/8" x 5/8" 2"/2.5"*	5/8" x 5/8" 2"/2.5"*	5/8" x 5/8" 2"/2.5"*	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	3/4" x 3/4" 6"	3/4" x 3/4" 6"	3/4" x 3/4"	3/4" x 3/4" 6"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
	12	Post Size					2"/2.5"*	4" 2" x 2"	4" 2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	6" 2" x 2"	6" 2" x 2"	6" 2" x 2"	6"
		Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"										2" x 2"
		Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"				
		Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"				
	84"	Picket Size	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8"	5/8" x 5/8" 4"	3/4" x 3/4" 6"	3/4" x 3/4" 6"	3/4" x 3/4" 6"	3/4" x 3/4" 6"						
	04	Post Size	2.5" 1.5" x 1.5"	2.5"	2.5"	2.5"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"
		Side U-Frame Btm U-Frame	1.5" x 1.5" 1.5" x 3"	2" x 2" 1.5" x 3"		2" x 2" 1.5" x 5.5"	2" x 2" 1.5" x 5.5"	2" x 2" 1.5" x 5.5"									
								1.5" x 5.5"									1.5" x 5.5"
		Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"				
	06"	Picket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
	96"	Post Size	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"
		Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"	1.5" x 5.5"						
		Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"				
O.	11	Picket Size	1" x 1"	1" x 1"	1" x 1"	1" x 1"	1" x 1"	1" x 1"	1" x 1"	1" x 1"	1" x 1"	1" x 1"	1" x 1"	1" x 1"	1" x 1"	1" x 1"	1" x 1"
Stand	iard (Gate Sizes a	ire in ligi	nt yellow	poxes.	"2" post v	with gate	post stiffe	ener stan	dard or o	otional 2.	post.	1				



Aluminum Entry U-Frame Gates are offered with the standard 2'' post (for Hundred Series), standard $2^1/_2''$ post (for 1000 and 2000 Series) and upgrades to 4'' and 6'' aluminum posts.

1000 Series

Aluminum Entry U-Frame Gates

		Single U-Frame Gate Width														
		(Gate is times 2 for Double Gate Application)														
		36"	42"	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
36"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"									
	Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"							
	Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"							
	Picket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
42"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"									
	Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"							
	Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"							
	Picket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
48"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"									
	Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"							
	Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"							
	Picket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
54"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
-	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"									
면	Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"							
<u>(Ģ</u>	Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"							
Gate Height	Picket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
60"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
ပြ	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"									
	Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"							
	Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"							
	Picket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
72"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"									
	Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"							
	Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"							
	Picket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
84"	Post Size	2.5"	2.5"	2.5"	2.5"	4"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"										
	Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"									
	Rail Size	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.125" x 1"	1.5" x 1.5"							
00"	Picket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
96"	Post Size	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"											
	Btm U-Frame	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 3"	1.5" x 5.5"									
	D " ":	4 405"														
	Rail Size Picket Size	1.125" x 1" 1" x 1"	1.125" x 1" 1" x 1"	1.125" x 1" 1" x 1"	1.125" x 1" 1" x 1"	1.125" x 1" 1" x 1"	1.125" x 1" 1" x 1"	1.125" x 1" 1" x 1"	1.5" x 1.5" 1" x 1"							

The Heavy-Duty Gate Hardware can be powder coated in any of our standard colors or in the same color to match your gate.



Heavy-Duty Powder Coated Gate Hardware is available for all Aluminum Entry U-Frame Gates.

2000 Series

Aluminum Entry U-Frame Gates

		Single U-Frame Gate Width															
											Gate Applic						
			36"	42"	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
	36"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	42"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	48"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	54"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
_		Side U-Frame	1.5" x 1.5"	2" x 2"													
붉		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
eić		Rail Size	1.5" x 1.5"														
I		Picket Size	1" x 1"														
Gate Height	60"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
S S		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	72"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	84"	Post Size	2.5"	2.5"	2.5"	2.5"	4"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"										
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	96"	Post Size	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"											
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
Stand	dard (Gate Sizes a	are in ligi	nt yellow	boxes.												

The Spear is standard with an option of a Quad or Triad finial. The Quad and Triad finials can either be the same color as your gate or powder coated with the Gold option.




Aluminum Walk Gates

Standard and U-Frame Gates



Standard Walk Gate Features

- Available: "Standard" and "Perfect-Fit" Styles.
- Single Gates: 36", 42", 48", 60" and 72".
- Double Gates: 72", 84", 96", 120" and 144".
- Bracing used on single gates over 48" wide and double gates over 96" wide.



U-Frame Walk Gate Features

- Standard "U-Frame" Gates.
- Single Gates: 36", 42", 48", 60" and 72".
- Double Gates: 72", 84", 96", 120" and 144".
- No Bracing Required with "U-Frame" Gates.

Colors

Standard Colors Shown Below - Custom Colors Available















Satin Black

DSI 106 Black Fine Texture

DSI 103 Metallic Bronze

DSI 107 Fine Texture

Metallic Bronze

DSI 111 Evergreen

DSI 104 Gloss Beige

DSI 102 Gloss White

DSI 110 Gold Option

Colors shown are a close representation of the true color. Please consult actual samples for accurate powder coating colors



Circle of Commitment Dynamic • Solutions • Innovation



Manufacturing Plants: • Bremen, IN • Randleman, NC • Sarcoxie, MO • Valdosta, GA



Quality Products By:



DISTRIBUTED BY:

Allegheny Fence 4301 Irvine Street Pittsburgh, PA 15207 412-421-6005 412-421-1734 FAX